


港迪变频器

系列




使用说明书版本:






 危险	
 注意	
 警告	



危險







危险





危险







危险



.....	1
.....	1
.....	6
.....	8
.....	10
.....	12
.....	12
.....	12
.....	13
.....	14
.....	14
.....	15
.....	16
.....	17
.....	17
.....	18
.....	18
.....	19
.....	22
.....	30
.....	32
.....	38
.....	45
.....	45
.....	45
.....	66
.....	75
.....	75
.....	76
.....	77
.....	78
.....	78
.....	79
.....	84
.....	84
.....	85
.....	87
.....	89
.....	90
.....	92
.....	95
.....	99
.....	104
.....	108
.....	112
.....	114

.....	117
.....	119
.....	122
.....	125
.....	128
.....	130
.....	133
.....	138
.....	142
.....	147
.....	151
.....	156
.....	166
.....	166
.....	167
.....	168
.....	168
.....	169
.....	172
.....	175
.....	176
.....	180
.....	184
.....	185
.....	195
.....	198
.....	198
.....	199
.....	203
.....	205
.....	205
.....	206
.....	206
.....	207
.....	207





型号: HF639-030-4L

额定功率: 30kW 变频器

额定电流: 65A

输入: AC3PH 380V-480V 50/60Hz

输出: AC3PH 0-480V 0-300Hz

ND:V1.00

Product ID.

E-STAL

IN CHINA





8888888A8A088

MADE

限公司

制造商: 武汉港油技术股份有





型号: :HF639-015-3R7-4L

功率: 15kW至75kW变频器, 变频电机

0/60Hz

0Hz

STAND:V1.00

MADE IN CHINA

有限公司

额定电流: 32A, 10.2A


输入: AC3PH 380V-480V 50


输出: AC3PH 0-480V 0-300


Product ID. E-

8888888A8A088 M

制造商 武汉洪迪技术股


















[illegible]










	
	 

















10V	AI1	AI2	DI1	DI2	DI3	DI4	HDI5	COM
-----	-----	-----	-----	-----	-----	-----	------	-----


GND	GND	A01	24V	D01	COM	24V	PW	COM
-----	-----	-----	-----	-----	-----	-----	----	-----


D04A	D04C	D04B	D05A	D05C
------	------	------	------	------

















































































警告提示信息


LOCAL FWD


LL.001

故障提示信息

LOCAL FWD



Er. 105





























0. 0Hz	117. 6V	0. 0A	N N
电机速度 [Hz]: 0. 0Hz			
给定频率 [Hz]: 10. 0Hz			
母线电压 : 117. 6V			
电机电流 : 0. 0A			

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

[illegible]

TMpai ESii G ' RWqi \$ii M øD RF-' ø a...\$ii M#...v RF-' 6 €S`a...\$ii @ € RF-'

11

GUIDE



0.1 eλ

!θ+ λ!ρζ



+ei)ρ




This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

[illegible]

[illegible]

[illegible]









$$I_a + I_b + I_c \qquad \frac{I_a + I_b + I_c}{P} > P \qquad P$$


$\sqrt{\quad}$ + +
 $\sqrt{\quad}$ + +


$\sqrt{\quad}$ + +






























Đáp
€ 0" Pâ ãN, M&ciãAQ%GET'...æQS!...QC


四线制编码器第一种接法



四线制编码器第二种接法



六线制编码器接法



1. X[-] P %QIET D

=

$\frac{\quad}{(\quad)(\quad)} = \quad \cdot$





港迪变频器

系列

使用说明书版本:

武汉港迪技术股份有限公司